UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/748,389	12/29/2003	Mineo Yamakawa	21058/0206773-US0	8159
75172 Client 21058	E HYAMII			
c/o DARBY & P.O. BOX 770	DARBY P.C.	WRIGHT, PATRICIA KATHRYN		
CHURCH STREET STATION		ART UNIT	PAPER NUMBER	
NEW YORK, N	NEW YORK, NY 10008-0770		1797	
			MAIL DATE	DELIVERY MODE
			07/10/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/748,389	YAMAKAWA ET AL.				
Office Action Summary	Examiner	Art Unit				
	P. Kathryn Wright	1797				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the o	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 11 Ma	av 2009.					
·= · ·	action is non-final.					
·—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1,10-22,31-40,55,58-60 and 63-69</u> is/are pending in the application.						
4a) Of the above claim(s) <u>55,58-60,63 and 67</u> is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1, 10-22, 31-40, 64-66, 68 and 69</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No						
					3. Copies of the certified copies of the priority documents have been received in this National Stage	
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	ate					
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal F 6) Other:	асть дрисацоп				

Application/Control Number: 10/748,389 Page 2

Art Unit: 1797

DETAILED ACTION

Status of the Claims

1. This action is in response to papers filed May, 11 2009 in which claims 1, 22, 68, 69 were amended, and claims 56-57, 61-62 were cancelled. The amendments have been thoroughly reviewed and entered. Any objection/ rejection not repeated herein have been withdrawn.

Applicant's arguments have been thoroughly reviewed but are deemed moot in view of the amendments, withdrawn rejections, and new grounds for rejection. New grounds for rejection, necessitated by the amendments, are discussed.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. The factual inquiries set forth in *Graham* **v.** *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein

were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 1, 10-22, 31-40, 64-66, 68 and 69 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent Pub. No. 2003/0136679 to Bohn in view of US Patent Pub No. 2003/0148524 to Zimmermann et al., (hereinafter "Zimmermann").

Bohn teaches a microfluidic device 20 comprising a substrate having an upper substrate member 26 and a lower substrate member 24 (see Fig. 1). Bohn teaches a source fluid flow channel 28 formed in the lower substrate 24 and a target fluid flow channel 30 formed in the upper substrate 26. Note that the source fluid channel could be disposed in upper substrate and the target fluid could be disposed in the lower substrate and the device would function the same. The target fluid flow channel is in fluid communication with the source fluid flow channel at a cross-channel area. As shown in Fig. 1, the source fluid flow channel 28 crosses over the target fluid flow channel 30 in an "X fashion" at the cross-channel area (i.e., perpendicular, see paragraph [0039]; claim 21).

The Bohn device also includes a porous membrane 22 integral with the substrates 24, 26 (claims 18 and 68-69) and separating the source fluid flow channel from the target fluid flow channel in the cross-channel area. The porous membrane 22 is a sensor exhibiting sensing characteristics causing a change in an electrical characteristic in response to exposure to a targeted fluid or reaction. That is, Bohn teaches the interior surface 60 of each pore 42 may be coated with a coating 62 (see

Fig. 3), so that molecules passing through the pore are likely to contact coating. For example, the pores 42 may be coated with a particular reagent causing a reaction. Bohn teaches the coating 62 may be electrically charged or metal (gold) which would cause a potential change in an optical and/or electrical characteristic of the porous membrane 20 (see paragraph [0028]). Note gold is a conductor that can be used for electronics and photovoltaic applications. Also note that the present invention teaches a membrane using integrated metals (see paragraph [0041]).

Thus, like the present invention, the porous membrane of Bohn is manufactured to produce a changed optical and/or electrical characteristic through the addition of a sensor layer (i.e., coating 62).

Bohn also teaches a field-force/gradient mechanism 50 proximate the porous membrane (see Figs. 1, 4-5c). The field- force/gradient mechanism generates an electric field to produce a fluid movement of a fluid from the source fluid flow channel to the target fluid flow channel via the porous membrane located in the cross-channel area, see paragraphs [0027], [0031]-[0033], [0060]-0064].

While Bohn does teach the use of a nanoporous membrane 22, preferably made of polycarbonate, Bohn does not specifically teach the membrane being made of a porous silicon membrane. However, Bohn states the membrane could be made of other material without departing the from the scope of the invention, see paragraph [0026].

Zimmermann teaches a microfluidic device including a measuring chamber divided into two compartments 11, 12 by a porous membrane 3. The membrane has pores 2 by way of which the compartments are connected (see Fig. 1 and paragraph [0026]). The microfluidic device of Zimmermann includes a field force/ gradient

mechanism (electrodes 4, 5) proximate the porous membrane 3 configured to produce fluid movement from compartment 11 to the other compartment 12 or *vice versa*.

Page 5

Zimmermann teaches the carrier member can be formed of a membrane comprising polycarbonate or silicon nitride (see paragraph [0028]). Note the claims recite the porous membrane "comprising" porous silicon membrane. "Comprising" is a term of art used in claim language which means that the named elements are essential, but other elements may be added and still form a construct within the scope of the claim. Thus, porous silicon nitride membrane reads on the "porous silicon membrane".

Furthermore, like the membrane used in the instant invention, the thickness of the Zimmermann membrane is between the range of 0.5 to 30 microns, see paragraph [0028]. The system of Zimmermann also includes an optical detector in communication with data collection equipment that collects data pertaining to changes in the optical characteristic of the porous membrane (see paragraph [0029]).

Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention substituted the membrane of Bohn with the porous silicon membrane of Zimmermann, since Bohn teaches that the membrane may be made of other material without departing from the scope of the invention (see paragraph [0026]) and since Zimmermann teaches the equivalence of a porous silicon membrane and polycarbonate membrane.

As discussed above, Bohn does teach the use of a nanoporous membrane 22 disposed between the upper and lower substrates 24, 26. Furthermore Bohn does discuss the placing the nanoporous membrane between the upper and lower substrates without wrinkling or deforming the membrane and sufficiently holding the

membrane in place for subsequent handling, but not so tightly as to permanently bond the membrane to the carrier (see paragraph [0042]).

Bohn does not specifically teach the membrane being located in a hollow space formed by the first and second cavities or recessing in the upper and lower substrates. However, it would have been obvious to one ordinary skill in the art at the time of the claimed invention to form a first cavity and second cavity in the upper and lower substrate so that the membrane of Bohn is located in a hollow space (recess) created by the first and second cavities in the upper and lower substrate, since the hollow cavities in the upper and lower substrates would help hold the nanoporous membrane in place for subsequent handling and prevent wrinkling or deforming the membrane.

As to claims 10 and 31, Bohn teaches fluorescence spectroscopy and imaging (light source a detector) focused at the membrane 22 see paragraph [0060].

With respect to claims 11 and 32, Bohn also teaches the membrane 22 having a thickness 46 between 1 μ m and 100 μ m, within the claimed range of 0.01 and 50 micrometers (see paragraph [0026]).

Regarding claims 12 and 33 Bohn teaches the porous membrane 22 is capable of fractionating molecules base on size, molecular weight, charges, chemical affinity (see for example paragraphs [0060]-[0065]).

As to claims 14, 16 and 37, Bohn teaches the substrates 24, 26 made of silicon or polydimethyl siloxane (PDMS), see paragraphs [0025], [0039].

Regarding claims 19-20 and 39-40, please note that a recitation with respect to the manner in which a claimed apparatus is intended to be employed, (i.e., disposed or reused) fails to differentiate the claimed apparatus from a prior art apparatus if the prior art apparatus teaches all the structural limitations of the claim.

Application/Control Number: 10/748,389 Page 7

Art Unit: 1797

Regarding claims 65-66, Bohn does teach the porous membrane has a property of being a passive diffusion barrier (i.e., filter) between the source fluid flow channel and target fluid flow channel.

Double Patenting

6. The provisional rejection of claims 13-14 and 34-35 on the grounds of nonstatutory obviousness-type double patenting as being unpatentable over claims 38-39 and 41 of copending Application No.10/856,372 is held in abeyance until indication of allowance of the claims.

Response to Arguments

7. Applicant's arguments filed May 11, 2009 have been fully considered but they are not persuasive. In response to the previous rejection of claims 1, 10-22, 31-40, 56-57, 61-62, and 64-66 under 35 U.S.C. 103(a) as being unpatentable over Bohn in view of Zimmermann, Applicant argues that nowhere does Bohn teach or suggest the desirability of placing the nanoporous membrane between the upper and lower substrates. Applicant alleges that the Examiner has acknowledged that "Bohn does not teach the use of a nanoporous membrane 22 disposed between the upper and lower substrates 24, 26" and then contradicts himself by stating "Bohn does discuss the desirability of placing the nanoporous membrane between the upper and lower substrates..."

The Examiner respectfully disagrees. The Examiner cannot locate where in the previous Official action that the Examiner states "Bohn does not teach the use of a nanoporous membrane 22 disposed between the upper and lower substrates 24, 26". In fact, the Bohn device <u>does</u> teach the use of a nanoporous membrane 22 disposed between the upper and lower substrates 24, 26 (see Figs. 1 and 4-5c). Furthermore,

contrary to Applicant's assertion, Bohn does suggest the desirability of placing the nanoporous membrane between the upper and lower substrates without wrinkling or deforming the membrane and sufficiently holding the membrane in place for subsequent handling, but not so tightly as to permanently bond the membrane to the carrier (see paragraph [0042]). However, as discussed above Bohn does not specifically teach the membrane being located in a hollow space formed by the first and second cavities or recessing in the upper and lower substrates. Nevertheless, it would have been obvious to one ordinary skill in the art at the time of the claimed invention to form a first cavity and second cavity in the upper and lower substrate so that the membrane of Bohn is located in a hollow space (recess) created by the first and second cavities in the upper and lower substrate, since the hollow cavities in the upper and lower substrate, since the hollow cavities in the upper and lower substrates would help hold the nanoporous membrane in place for subsequent handling and prevent wrinkling or deforming the membrane.

Thus, for the reasons delineated above, the claims remain rejected over the cited prior art.

Conclusion

- 8. No claims are allowed.
- 9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to P. Kathryn Wright whose telephone number is (571)272-2374. The examiner can normally be reached on Monday thru Thursday, 9 AM to 6 PM, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.